



# Creative Spark

## Sustainability data sheet

Made in Belgium from performance solution dyed nylon, Creative Spark complies with all requirements of EN1307: Textile Floorcoverings classification.

Manufacturing location:	IVC Group, Moeskroen, Belgium
Site accreditations:	ISO 14001; ISO 9001

---

### 1. Recycled Content

---

a. Overall recycled content:	42% post industrial waste
b. Pile material:	100% solution dyed nylon
c. Recycled content yarn:	0%
e. Secondary backing:	EcoFlex™ Statera - modified Bitumen
f. Recycled limestone in the backing:	70% recycled limestone in the backing

---

### 2. Manufacturing

---

a. Renewable energy:	- Through our windmill, solar operations and selective energy sourcing, IVC aims to achieve 100% renewable energy for all our processes and transportation activities.
b. Production site & process:	- The entire product from tuft to finished carpet tile is made on the same manufacturing site. - Our manufacturing site is ISO14001 and ISO 9001 certified. - All surplus and waste yarns are collected and recycled. - We only use cardboard made from 100% recycled material.
c. Sustainability White Paper:	- Read about our sustainability journey and our future objectives for the future in our sustainability white paper: <a href="http://www.ivc-commercial.com/en/meet-ivc/smartsustainability">www.ivc-commercial.com/en/meet-ivc/smartsustainability</a>

---

### 3. End of life

---

a. Re-use:	End of life carpet tiles can be re-used, after cleaning, in non-critical areas, to extend the product life.
b. Recover:	At end of life carpet tiles can be recycled into new raw materials and secondary fuel.

---

### 4. Carbon Footprint

---

a. EPD declaration number:	Ongoing
b. Raw Material and Production:	Ongoing

---

### 5. Emissions and Chemical Substances

---

a. CRI:	Compliant to the requirement of Green label plus GLP 100161.
b. GUT:	The product meets the GUT-criteria These criteria include VOC thresholds, odour and chemical substances. GUT number: 3AA1D4F.
c. REACH:	IVC Commercial carpet tiles comply with the European REACH standard.
d. M1:	The aim of the emission classification is to enhance the development and the use of low-emitting building materials to create a healthy indoor environment.



# Creative Spark

## Sustainability data sheet

---

### 6. Health & Wellbeing

---

- |                     |  |
|---------------------|--|
| a. Acoustics:       | Creative Spark will strongly support the end user with improved acoustic ratings. Reducing the impact sound reduction with 32dB ( $\Delta L_w$ - ISO 10140) and increasing the sound absorption with 0,15 $\alpha_w$ (EN ISO 354).<br>Available on EcoFlex™ Echo for superior acoustic insulation, sound absorption and underfoot comfort. |
| b. Odour            | IVC Commercial carpet tiles are free from odours (see GUT certificate).  |
| c. No heavy metals: | IVC Commercial carpet tiles are free of heavy metals and other harmful substances, such as lead, mercury or chromium.  |

---

### 7. Installation

---

- |              |  |
|--------------|--|
| a. Adhesive: | IVC Commercial advises to use a solvent-free, easy release system with very low emissions.   |
| b. FlexLok   | FlexLok enables you to install carpet tiles without using any adhesive. These adhesive tabs can be installed on any sound substrate. |

---

### 8. Contribution to Green Building Schemes

---

IVC Carpet Tiles can contribute towards credits / points of Green Building Schemes. Contact your IVC Commercial Project Advisor to discuss details on this, in relation to the below schemes:

- |   |  |
|---|--|
| a. BREEAM (UK):                                       | b. LEED v4 (Int.):   |
| Man 02: Life cycle cost and service life planning     | EA credit: Optimize energy performance   |
| Man 03: Responsible construction practices            | MR credit: Building life-cycle impact reduction  |
| Man 04: Commissioning and handover                    | MR credit: Building product disclosure and optimisation - Environmental Product Declarations |
| Hea 02: Indoor air quality                            | MR credit: Building product disclosure and optimisation - Sourcing of raw materials          |
| Hea 04: Thermal comfort                               | MR credit: Building product disclosure and optimisation - Material ingredients               |
| Hea 05: Acoustic Performance                          | MR credit: Construction and demolition waste management                                      |
| Ene 01: Reduction of energy use and carbon emissions  | EQ credit: Low emitting materials  |
| Mat 01: Life cycle impacts                            | EQ credit: Indoor air quality assessment   |
| Mat 03: Responsible sourcing of construction products | EQ credit: Acoustic performance  |
| Mat 05: Designing for durability and resilience       |  |
| Wst 04: Speculative finishes                          |  |
| Wst 06: Functional adaptability                       |  |



COMMERCIAL

# Creative Spark

## Sustainability data sheet

### c. WELL (Int.):

A05 credit: Enhanced Air Quality  
W07 credit: Moisture management  
T01 credit: Thermal performance  
T02 credit: Enhanced thermal performance  
T03 credit: Radiant thermal comfort  
S01 credit: Sound mapping  
S02 credit: Maximum noise levels  
S04 credit: Sound absorption  
S05 credit: Sound masking  
S06 credit: Impact noise management  
X01 credit: Fundamental material precautions  
X09 credit: Cleaning products and protocol  
X10 credit: Volatile compound reduction  
X11 credit: Long-term emission control  
X12 credit: Short-term emission control  
X13 credit: Enhanced material precaution  
X14 credit: Material transparency  
M02 credit: Access to nature  
M07 credit: Restorative spaces  
C14 credit: Bathroom accommodations  
I05 credit: Green building rating system

### d. DGNB (Int.)

ENV1.1: Building life cycle assessment (LCA)  
ENV1.2: Local environmental impact  
ENV1.3: Sustainable resource extraction  
ECO1.1: Life cycle cost (LCC)  
SOC1.2: Indoor air quality (IAQ)  
SOC1.3: Acoustic comfort  
TEC1.2: Sound insulation  
TEC1.5: Ease of cleaning building components  
TEC1.6: Ease of recovery and recycling  
PRO1.5: Documentation for sustainable management